

## Pickett County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q80.AGE 18-24 YEARS	95	6	9.9	( 7.1, 12.6)	12.0	62
Q80.AGE 65+ YEARS	95	24	15.1	(12.5, 17.6)	14.0	37
Q116/Q98. BLACKS	95	0	0.0	( 0.0, 33.6)	14.1	73
Q73. FEMALES	95	60	46.8	(41.5, 52.2)	52.5	81
Q113/Q95. HOUSEHOLD INCOME <= \$15,000	84	37	36.5*	(30.9, 42.1)	17.0	5
Q1 .IN FAIR/POOR HEALTH	95	43	42.5*	(34.2, 50.7)	17.3	1
Q2 .OFTEN VERY DEPRESSED	95	13	12.5	( 1.9, 23.1)	8.9	29
Q9 .HIGH BLOOD PRESSURE EVER	95	44	45.7*	(41.6, 49.9)	25.8	2
Q9 .HIGH BLOOD PRESSURE IN PAST YR	95	20	23.1*	(13.5, 32.7)	10.8	3
Q9 .HEART DISEASE EVER	94	21	20.5*	(15.2, 25.8)	10.1	2
Q9 .HEART DISEASE IN PAST YR	94	7	6.7*	( 4.8, 8.5)	3.4	15
Q9 .DIABETES EVER	95	9	10.2	( 1.6, 18.8)	8.0	24
Q9 .DIABETES IN PAST YR	95	4	4.0*	( 2.9, 5.1)	2.5	24
Q9 .STROKE EVER	95	4	2.5	( 1.8, 3.3)	1.9	37
Q9 .STROKE IN PAST YR	95	1	0.6	( 0.3, 48.2)	0.3	21
Q9 .SEIZURE EVER	94	1	1.3*	( 1.0, 1.7)	2.2	64
Q9 .SEIZURE IN PAST YR	94	0	0.0	( 0.0, 33.6)	0.6	48
Q9 .LUNG DISEASE EVER	95	6	7.1	( 0.3, 48.2)	4.7	28
Q9 .LUNG DISEASE IN PAST YR	95	3	3.0*	( 2.2, 3.8)	1.5	20
Q9 .PNEUMONIA EVER	95	33	33.4*	(28.5, 38.2)	19.0	2
Q9 .PNEUMONIA IN PAST YR	95	5	4.9	( 0.3, 48.2)	2.6	13
Q9 .TUBERCULOSIS EVER	95	1	0.7	( 0.3, 48.2)	0.5	44
Q9 .CANCER EVER	95	6	4.2*	( 3.1, 5.4)	6.2	77
Q9 .CANCER IN PAST YR	95	3	1.6	( 1.2, 2.0)	1.4	40
Q9 .CHRONIC STOMACH PROBLEMS EVER	95	30	29.8*	(25.9, 33.8)	17.5	3
Q9 .CHRONIC STOMACH PROBLEMS IN PAST YR	95	13	9.3*	( 8.1, 10.5)	5.9	15
Q9 .GALLBLADDER PROBLEMS EVER	95	20	16.8*	(14.2, 19.4)	8.2	7
Q9 .GALLBLADDER PROBLEMS IN PAST YR	95	1	1.3	( 0.3, 48.2)	1.1	44
Q9 .LIVER PROBLEMS EVER	95	3	3.3	( 2.4, 4.1)	2.9	41
Q9 .LIVER PROBLEMS IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.3	40
Q9 .INJURY EVER	94	55	66.8*	(61.9, 71.7)	57.3	9
Q9 .INJURY IN PAST YR	94	10	18.8*	(13.6, 24.1)	9.3	3
Q9 .HIV/AIDS EVER	95	2	1.0*	( 0.3, 48.2)	0.1	4
Q9 .JOINT PROBLEMS EVER	95	46	43.0*	(38.9, 47.2)	27.7	3
Q9 .JOINT PROBLEMS IN PAST YR	95	19	15.6*	(13.2, 18.0)	12.2	27

\*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

## Pickett County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q9 .KIDNEY DISEASE EVER	94	5	5.0	( 3.6, 6.4)	4.4	41
Q9 .KIDNEY DISEASE IN PAST YR	94	3	3.5*	( 2.5, 4.4)	1.1	5
Q9 .MENTAL ILLNESS EVER	95	10	10.1	( 2.4, 17.8)	6.1	18
Q9 .MENTAL ILLNESS IN PAST YR	95	2	1.9	( 1.4, 2.4)	2.5	64
Q9 .LEARNING PROBLEMS EVER	95	4	8.4	( 2.4, 14.4)	2.6	2
Q9 .LEARNING PROBLEMS IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.4	42
Q9 .OTHER MAJOR ILLNESS EVER	95	28	32.1*	(30.1, 34.0)	16.9	1
Q9 .OTHER MAJOR ILLNESS IN PAST YR	95	6	5.8	( 2.4, 9.2)	4.5	31
Q10.EVER INJURED IN TRAFFIC CRASH	95	29	29.7	(22.1, 37.3)	32.1	59
Q10.INJURED IN CRASH IN PAST YR	95	4	5.5*	( 3.9, 7.0)	2.6	5
Q10.INJURED IN CRASH IN PAST 30 DAYS	95	0	0.0	( 0.0, 33.6)	0.3	28
Q11.INJURIES OTHER THAN FROM CRASHES	95	50	61.3	(55.4, 67.1)	61.0	53
Q11.OTHER INJURIES IN PAST YR	95	7	14.5*	(12.2, 16.7)	9.2	12
Q11.OTHER INJURIES IN PAST 30 DAYS	94	1	2.6*	( 2.0, 3.2)	1.7	22
Q12.HAVE ANY KIND OF HEALTH CARE COVERAG	95	89	86.6*	(82.9, 90.3)	91.9	86
Q12.PRIVATE INSURANCE PLAN	95	43	45.7*	(36.3, 55.0)	65.9	92
Q12.TENNCARE	95	21	22.3*	(12.2, 32.3)	11.1	8
Q12.MEDICARE	95	21	13.3	(10.8, 15.9)	12.5	39
Q12.OTHER TYPE OF INSURANCE	95	6	6.4	( 1.7, 11.1)	3.4	8
Q12.SUPPLEMENTAL HEALTH INSURANCE	89	28	30.2	(25.6, 34.8)	25.4	22
Q13.COULD NOT GET MEDICAL CARE PAST YR	95	8	6.4	( 2.4, 10.4)	7.6	48
Q14.HAS A USUAL SOURCE OF HEALTH CARE	95	86	89.4*	(86.4, 92.4)	85.2	36
Q15.EVER SEEN A DOCTOR FOR PHYS HEALTH	95	75	79.4*	(76.3, 82.6)	70.6	4
Q15.SAW DOCTOR FOR PHYS HEALTH PAST YR	95	48	47.6*	(42.1, 53.1)	37.1	4
Q15.USED EMERG ROOM FOR CARE EVER	95	66	75.9*	(73.4, 78.4)	71.5	30
Q15.USED EMERG ROOM FOR CARE IN PAST YR	95	13	15.3	( 8.8, 21.7)	19.6	77
Q15.EVER ADMITTED TO HOSPITAL	95	84	91.4*	(90.6, 92.2)	76.2	2
Q15.ADMITTED TO HOSPITAL IN PAST YR	95	12	14.0	( 9.3, 18.7)	10.0	22
Q15.ROUTINE CHECKUP EVER	94	80	84.7*	(80.4, 88.9)	90.8	83
Q15.ROUTINE CHECKUP IN PAST YR	94	46	44.1*	(39.1, 49.2)	54.6	75
Q17.EVER RECEIVED MENTAL HEALTH TREATMNT	95	8	9.4	( 6.8, 12.0)	11.8	65
Q17.MENTAL HEALTH RX IN PAST YR	95	0	0.0	( 0.0, 33.6)	3.7	93
Q17.EVER ADMITTED FOR PSYCH PROBLEMS	95	2	3.6	( 2.6, 4.7)	3.1	28
Q17.ADMITTED FOR PSYCH PROB IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.3	29
Q18.EVER ATTEMPTED SUICIDE	95	1	0.4	( 0.3, 48.2)	2.4	89

\*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

## Pickett County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q18.SUICIDE ATTEMPT IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.4	30
Q20.EVER DRANK CAFFEINE	95	94	99.7	(66.4,100.0)	98.7	37
Q20.DRANK CAFFEINE IN PAST YR	95	91	95.2	(66.4,100.0)	96.7	78
Q20.DRANK CAFFEINE IN PAST 30 DAYS	94	89	94.6	(66.4,100.0)	94.1	51
Q20.EVER HOOKED ON CAFFEINE	94	36	38.0*	(33.6, 42.5)	29.4	13
Q20.NOW HOOKED ON CAFFEINE	93	29	31.3*	(26.4, 36.2)	23.5	15
Q21.EVER SMOKED 100 CIGARETTES	95	55	67.1*	(62.0, 72.2)	51.1	2
Q21.SMOKED IN PAST YR	95	35	40.0*	(36.7, 43.4)	30.1	19
Q21.SMOKED IN PAST 30 DAYS	94	30	34.3*	(31.3, 37.3)	28.3	33
Q22.EVER USED OTHER KINDS OF TOBACCO	95	28	33.3*	(28.1, 38.5)	23.9	9
Q22.USED OTHER TOBACCO IN PAST YR	95	17	20.1*	(14.5, 25.6)	11.5	10
Q22.USED OTHER TOBACCO IN PAST 30 DAYS	95	16	17.5*	(12.7, 22.4)	8.4	7
Q23.EVER HOOKED ON TOBACCO	94	44	51.8*	(45.3, 58.3)	37.2	2
Q23.NOW HOOKED ON TOBACCO	94	34	39.2*	(34.7, 43.8)	25.3	4
Q24.EVER DRANK ALCOHOL	95	65	80.7	(78.2, 83.2)	79.5	28
Q24.DRANK ALCOHOL PAST YR	95	36	41.4*	(37.7, 45.0)	52.5	62
Q24.BINGED PAST YR (5+DRINKS)	95	13	16.3	(12.7, 19.9)	15.8	44
Q24.DRANK ALCOHOL PAST 30 DAYS	94	16	19.7*	(17.8, 21.6)	35.9	81
Q24.DRANK ALCOHOL PAST 2 WEEKS	95	14	17.9*	(16.0, 19.8)	28.1	71
Q24.EVER HOOKED ON ALCOHOL	94	7	10.6	( 0.3, 48.2)	6.7	14
Q24.NOW HOOKED ON ALCOHOL	94	1	1.0	( 0.3, 48.2)	1.0	44
Q25.EVER USED SEDATIVES	95	18	20.7	(10.0, 31.4)	15.8	21
Q25.USED SEDATIVES IN PAST YR	95	6	8.1	( 0.3, 48.2)	6.4	35
Q25.USED SEDATIVES IN PAST 30 DAYS	95	5	7.7	( 0.3, 48.2)	3.5	12
Q25.EVER USED TRANQUILIZERS	95	27	31.3	(26.9, 35.8)	26.7	23
Q25.USED TRANQUILIZERS IN PAST YR	95	14	12.5	( 9.0, 16.0)	10.7	33
Q25.USED TRANQUILIZERS IN PAST 30 DAYS	95	13	11.8*	( 8.5, 15.1)	7.4	12
Q25.EVER USED STIMULANTS	95	5	5.5*	( 4.0, 7.1)	9.5	90
Q25.USED STIMULANTS IN PAST YR	95	1	0.6	( 0.3, 48.2)	1.4	75
Q25.USED STIMULANTS IN PAST 30 DAYS	95	0	0.0	( 0.0, 33.6)	0.6	53
Q25.EVER USED PAINKILLERS	94	52	58.1	(55.7, 60.5)	60.2	62
Q25.USED PAINKILLERS IN PAST YR	94	16	20.2	(17.8, 22.6)	22.2	58
Q25.USED PAINKILLERS IN PAST 30 DAYS	94	10	13.3*	( 9.8, 16.9)	8.4	9
Q26.EVER ABUSED PRESCRIPTION DRUGS	95	2	1.8*	( 1.3, 2.3)	6.5	89
Q26.ABUSED PRESCRIP DRUGS IN PAST YR	95	1	0.6	( 0.3, 48.2)	1.2	53

\*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

## Pickett County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q26.ABUSED PRESCRIP DRUGS IN PAST 30 DAY	95	0	0.0	( 0.0, 33.6)	0.3	32
Q27.EVER HOOKED ON PRESCRIPTION DRUGS	95	1	1.2*	( 0.8, 1.5)	2.0	68
Q27.NOW HOOKED ON PRESCRIPTION DRUGS	95	1	1.2*	( 0.8, 1.5)	0.4	18
Q28.EVER USED STEROIDS	93	21	19.5*	(16.6, 22.3)	15.7	17
Q28.USED STEROIDS IN PAST YR	93	7	6.5	( 5.7, 7.2)	5.6	32
Q28.USED STEROIDS IN PAST 30 DAYS	93	3	4.0*	( 2.9, 5.1)	2.2	19
Q28.EVER ABUSED STEROIDS	93	0	0.0	( 0.0, 33.6)	0.4	28
Q28.EVER HOOKED ON STEROIDS	93	0	0.0	( 0.0, 33.6)	0.2	14
Q28.NOW HOOKED ON STEROIDS	93	0	0.0	( 0.0, 33.6)	0.1	8
Q29.EVER USED MARIJUANA	95	20	22.4*	(19.1, 25.7)	28.8	70
Q29.USED MARIJUANA IN PAST YR	95	3	2.0*	( 0.6, 3.3)	5.1	71
Q29.USED MARIJUANA IN PAST 30 DAYS	95	1	0.6	( 0.3, 48.2)	2.6	75
Q29.EVER HOOKED ON MARIJUANA	95	1	0.6	( 0.3, 48.2)	2.2	74
Q29.NOW HOOKED ON MARIJUANA	95	0	0.0	( 0.0, 33.6)	0.5	36
Q30.EVER USED COCAINE	95	2	1.8*	( 1.3, 2.3)	7.0	91
Q30.USED COCAINE IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.8	46
Q30.USED COCAINE IN PAST 30 DAYS	95	0	0.0	( 0.0, 33.6)	0.2	22
Q30.EVER HOOKED ON COCAINE	95	0	0.0	( 0.0, 33.6)	0.8	54
Q30.NOW HOOKED ON COCAINE	95	0	0.0	( 0.0, 33.6)	0.1	11
Q31.EVER USED HEROIN	94	0	0.0	( 0.0, 33.6)	0.9	43
Q31.USED HEROIN IN PAST YR	94	0	0.0	( 0.0, 33.6)	0.1	5
Q31.EVER HOOKED ON HEROIN	94	0	0.0	( 0.0, 33.6)	0.1	12
Q32.EVER USED HALLUCINOGENS	95	2	1.8*	( 1.3, 2.3)	5.7	87
Q32.USED HALLUCINOGENS IN PAST YR	95	1	0.6	( 0.3, 48.2)	0.8	24
Q32.USED HALLUCINOGENS IN PAST 30 DAYS	95	1	0.6*	( 0.3, 48.2)	0.2	9
Q32.EVER HOOKED ON HALLUCINOGENS	95	0	0.0	( 0.0, 33.6)	0.1	11
Q33.EVER USED INHALANTS	95	0	0.0	( 0.0, 33.6)	2.1	72
Q33.USED INHALANTS IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.2	14
Q33.EVER HOOKED ON INHALANTS	95	0	0.0	( 0.0, 33.6)	0.2	14
Q33.NOW HOOKED ON INHALANTS	95	0	0.0	( 0.0, 33.6)	0.1	4
Q34.EVER INJECTED DRUG FOR NON-MED REASO	95	0	0.0	( 0.0, 33.6)	0.7	49
Q35.EVER DRIVEN AFTER DRINKING	95	39	54.1	(47.2, 61.1)	49.4	16
Q35.DRIVEN AFTER DRINKING IN PAST YR	95	7	8.5*	( 7.6, 9.4)	12.9	50
Q35.EVER DRIVEN AFTER 5 OR MORE DRINKS	95	22	35.1*	(25.8, 44.4)	24.6	6
Q35.DRIVEN AFTER 5 DRINKS IN PAST YR	95	3	2.2	( 0.9, 3.5)	3.4	51

\*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."

## Pickett County Preliminary Health Profile, Tennessee Adult Lifestyles Surveys, 1998

Variable	Size	Count	Weighted Rate (%)	95% CI	State Rate (%)	Rank Hi to Lo
Q35.EVER DRIVEN AFTER USING PRESCRIP DRU	95	38	44.7*	(37.7, 51.7)	33.2	7
Q35.DRIVEN AFTER PRESCRIPTION IN PAST YR	95	22	21.8*	(19.7, 23.8)	18.1	20
Q35.EVER DRIVEN AFTER USING OTHER DRUGS	95	5	6.7*	( 4.8, 8.5)	10.7	76
Q35.DRIVEN AFTER OTHER DRUGS IN PAST YR	95	1	0.6	( 0.3, 48.2)	3.1	80
Q67.EVER RECEIVED RX FOR ALCOHOL PROBLEM	95	2	2.9	( 2.1, 3.8)	2.5	42
Q67.RECEIVED RX FOR ALCOHOL PROB IN PAST	95	0	0.0	( 0.0, 33.6)	0.4	45
Q68.EVER RECEIVED RX FOR OTHER DRUG PROB	95	0	0.0	( 0.0, 33.6)	1.1	59
Q68.RX FOR OTHER DRUG PROB IN PAST YR	95	0	0.0	( 0.0, 33.6)	0.2	17

Source: Community Health Research Group at the University of Tennessee, Knoxville, and Tennessee Department of Health

\*: There is a statistically significant difference (at 0.05 level) between the county and the state rate.

95% CI: 95% confidence interval.

Rank: Rankings go from highest to lowest rates. In all but 14 variables, higher rates are "worse."